



Jiangsu Hanvo Safety Product Co.,Ltd

- NO.128 Jinshajiang Road, Rudong New Development Zone, Nantong City, Jiangsu Province, China
- www.hanvosafety.com
- info@hanvosafety.com



2023 LATEST INNOVATIONS

Jiangsu Hanvo Safety Product Co.,Ltd



CONTENTS

	Accugrip™&Chemguard	04 - 11
2	ЕСОТЕСН	15 - 17
3	MetalQ [®]	18 - 24
4	Mechanical Utility Work Gloves	25 - 32

HANVO 5G FACTORY

HANVO 5G Factory is one of the leading smart factories in the safety industry. Based on 5G technology, internet of things and digitalization, we have established a revolutionary "dark factory" for unmanned manufacturing through automatic production, management, machine processing, packaging, and storage & transportation.

THE POWER OF SMART



103:000 m²



5G network intelligence
Equipment manufacture



Fewer staffs 66% Less



Annual capacity

70,000,000 dozens

OUR ADVANTAGES



7-DAYS
EFFICIENT DELIVERY



COMPETITIVEECONOMICAL COST



CONSISTENTEXCEPTIONAL QUALITY



HANVO VIETNAM PLANT

The HANVO Vietnam Plant is a key player in the global supply chain, connecting with customers and suppliers worldwide. We constantly adapting to the dynamics of the market and the changing needs of our customers in order to ensure our responsiveness and agility. As a global supplier of safety products, we're a trusted partner for businesses.

ABOUT VIETNAM PLANT



Total site area

120,000 m²



Ready by

Dec,2024



Available varieties

PU, latex, nitrile



Starting from

April, 2023



Annual capacity

16,000,000 dozens



Address

Hai Ha District, Quang Ninh Province, Vietnam







NJV5006

- Excellent grip performance, especially in oily environments.
- Softer and more comfortable fitting.
- Improved durability.
- Ergonomic hand-shaped design.











Facility maintenance

Transportation & Warehousing

DESCRIPTION Material:	Nitrile	
Texture:	Accugrip™	
Area:	Palm	
Size range:	7-12	
Gauge:	15	
Material:	Nylon/Spandex	



UNMATCHED GRIP

DRY GRIP		
ACCUGRIP	7.5	
SANDY FOAM NITRILE	9.2	
OIL GRIP		
ACCUGRIP	8.3	
SANDY FOAM NITRILE		10.4
Minimum force to pull down the test		

force used to pull the iron bar downward. The smaller the value, the better the grip. Tested according to SATRA test standard STM620-032063



UNPARALLELED COMFORT



comfort with Accugrip. Our gloves provide a softer, more lightweight, and comfortable feel on your hands, keep your hands always dry.



UNBEATABLE DURABILITY



Accugrip's gloves coating didn't break until 52,000 cycles in EN388



NJV8006

Automotive

Assembly

Machinery & Equipment

- Excellent grip performance, especially in oily environments.
- Softer and more comfortable fitting.
- Improved durability.
- Ergonomic hand-shaped design.











DESCRIPTIO	NG
Material:	Nitrile
Texture:	Accugrip™
Area:	Palm
Size range:	7-12
Gauge:	18
Material:	Nylon/Spandex
APPLICATIO	ONS

Automotive

Facility maintenance

Machinery & Equipment

Transportation & Warehousing

Assembly



NJV8254

- 18gg MetalQ® liner is light and provides great cut protection up to level C.
- Excellent grip performance, especially in oily environments.
- Softer and more comfortable fitting.
- Improved durability.

DESCRIPTION

- Ergonomic hand-shaped design.

 ϵ

Material:



Nitrile







Texture:	Accugrip™	
Area:	Palm	
Size range:	7-12	
Gauge:	18	
Material:	MetalQ®	
APPLICATIO	ONS	
Automot	rive	Facility maintenance
Machine	ry & Equipment	Transportation & Warehousing
Assembly	У	Glass handling operations



NJV4253

- 21gg MetalQ® liner is light and provides great cut protection up to level C.
- Excellent grip performance, especially in oily environments.

АЗ

- Softer and more comfortable fitting.
- Improved durability.
- Ergonomic hand-shaped design.









DESCRIPTION				
Material:	Nitrile			
Texture:	Accugrip™			
Area: Palm				
Size range: 7-12				
Gauge: 21				
Material: MetalQ®				
APPLICATIO	ONS			
⊕ Automot	ive	Facility maintenance		
Machinery & Equipment		Transportation & Warehousing		



NJV8256

- 18gg MetalQ® liner is light and provides great cut protection up to level D.
- Excellent grip performance, especially in oily environments.
- Softer and more comfortable fitting.
- Improved durability.
- Ergonomic hand-shaped design.





DESCRIPTION









Material:	Nitrile		
Texture:	Accugrip™		
Area:	Palm		
Size range:	7-12		
Gauge:	18		
Material:	MetalQ®		
APPLICATIO	NS		
⊜ Automoti	ve	*	Facility maintenance
Machiner Machiner	ry & Equipment		Transportation & Warehousing
Assembly			Glass handling operations



NJV4255

Assembly

- 21gg MetalQ® liner is light and provides great cut protection up to level D.
- Excellent grip performance, especially in oily environments.
- Softer and more comfortable fitting.
- Improved durability.
- Ergonomic hand-shaped design.













Glass handling operations

DESCRIPTIO	Nd
Naterial:	Nitrile
exture:	Accugrip™
Area:	Palm
ize range:	7-12
auge:	21
/laterial:	MetalQ®
ADDILICATIO	2210

APPLICATIONS

- Automotive
- Facility Maintenance
- Transportation & warehousing Machinery & Equipment
- Assembly Glass handling operations



NJV8257

- 18gg MetalQ® liner is light and provides great cut protection up to leve E
- Excellent grip performance, especially in oily environments.
- Softer and more comfortable fitting.

- Improved durability.
- Ergonomic hand-shaped design.







DESCRIPTION	ON	
Material:	Nitrile	
Texture:	Accugrip™	
Area:	Palm	
Size range:	7-12	
Gauge:	18	
Material:	MetalQ®	
APPLICATIO	ONS	
Automot	tive	Facility maintenance
Machine	ery & Equipment	Transportation & Warehousing
Assembl	Assembly Glass handling operations	



NJV3258

- 13gg MetalQ® liner is light and provides great cut protection up to level F.
- Excellent grip performance, especially in oily environments.
- Softer and more comfortable fitting.
- Improved durability.
- Ergonomic hand-shaped design.





DESCRIPTION











Material:	Nitrile	
Texture:	Accugrip™	
Area:	Palm	
Size range	9: 7-12	
Gauge:	13	
Material:	MetalQ®	
APPLICA	ATIONS	
Auton	notive	* Facility maintenance
Mach	inery & Equipment	Transportation & Warehousing
Assem	nbly	Glass handling operations



NLX8000

- Accuarip™ NLX8000 industrial gloves feature the innovative Accuarip™ coating, providing exceptional grip for handling oily or wet materials with ease.
- Equipped with an 18gg seamless knitting liner, NLX8000 offers heightened comfort, making them suitable for a variety of applications.
- The dual coating prevents liquid and chemical leakage, ensuring advanced protection during handling.
- Meeting ANSI/EN standards for abrasion resistance, NLJ8000 offers increased durability and long-lasting performance.
- With outstanding chemical resistance and compliance with EN 407 contact heat level 1, NLX8000 provides specialized protection against workplace hazards.











DESCRIPTION					
Material:	Nitrile	Size range: 7-12			
Texture:	Accugrip™	Gauge: 18			
Area:	Full	Material: Nylon/Spandex			
APPLICATION\$					
Automotive War Metal Processing		∴ Chemical ☐ Oil & Gas			

Mechanical Equipment



Food Processing Services

- Accugrip " NLX8256 industrial gloves feature the innovative Accugrip " coating, ensuring superior grip for effortless handling of oily or wet materials.
- Equipped with an 18gg seamless knitting liner, NLX8256 offers elevated comfort, making them suitable for a variety of applications.

 The full dual coating effectively prevents liquid and chemical leakage,
- guaranteeing advanced protection during material handling,
 Compliant with ANSI/EN standards for abrasion resistance, NLJ8256 gloves offer increased durability and long-lasting performance.
- Offering outstanding chemical resistance and meeting EN 407 contact heat level 1 standards, NLX8256 gloves provide specialized protection against workplace hazards. - Featuring an 18gg Metal (a) liner, these gloves are lightweight and offer excellent cut protection up to level D.











D	DESCRIPTION						
Ма	terial:	Nitrile	Siz	e range:	7-12		
Tex	ture:	Accugrip™	Go	auge:	18		
Are	a:	Full	Mo	aterial:	MetalQ®		
A	PPLICATIO	NS					
	Automoti	ve	A	Chemi	ical		
뿔	Metal Pro	cessing		Oil & G	Gas		
TQ.	Food Processing Services			Mecho	Mechanical Equipment		



NLX8256W

- Accugrip™ NLX8256W industrial gloves feature the innovative Accugrip™ coating,
- ensuring superior grip for effortless handling of oily or wet materials.

 Equipped with an 18gg seamless knitting liner, NLX8256W offers elevated comfort, making them suitable for various applications.

 The full dual coating effectively prevents liquid and chemical leakage, guaranteeing
- advanced protection during material handling.
- Compliant with ANSI/EN standards for abrasion resistance, NLX8256W gloves offer increased durability and long-lasting performance.
- Offering outstanding chemical resistance and compliance with EN 407 contact heat level 1 standards, NLX8256W gloves provide specialized protection against workplace hazards.

 Featuring an 18gg Metal@® liner, these gloves are lightweight and provide excellent
- cut protection up to level D.

 With a soft and durable TPR (Thermoplastic Rubber) heat-pressed on the back, these gloves effectively shield hands from impacts.












DESCRIPTI	ON			
Material:	Nitrile	Size range: 7-12		
Texture:	Accugrip™	Gauge: 18		
Area:	Full	Material: MetalQ®		
APPLICATIONS				
Automotive Metal Processing		A Chemical		





NLJ8354

- Chemguard NLJ8354 industrial gloves feature the innovative Chemguard coating, providing superior grip for handling oily or wet materials with reduced effort.
- Equipped with an 18gg seamless knitting liner, NLJ8354 offers enhanced comfort, making them suitable for vairous applications.
- Full dual coating prevents liquid and chemical leakage, ensuring advanced protection during handling.
- Meeting ANSI/EN standards for abrasion resistance, NLJ8354 offer increased durability and long-lasting performance.
- With outstanding chemical resistance and compliance with EN 407 contact heat level 1, NLJ8354 provide specialized protection against workplace hazards.
- 18gg MetalQ® liner is light and provides great cut protection up to level C.













DESCRIPTION			
Material:	Nitrile	Size range:	7-12
Texture:	Chemguard	Gauge:	18
Area:	Full	Material:	MetalQ®

APPLICATIONS

Automotive

A Chemical

Oil & Gas

Food Processing Services Mechanical Equipment



NLJ8000

- Chemguard NLJ8000 industrial gloves feature the innovative Chemguard coating, providing superior grip for handling oily or wet materials with reduced effort.
- Equipped with an 18gg seamless knitting liner, NLJ8000 offers enhanced comfort, making them suitable for vairous applications.
- Full dual coating prevents liquid and chemical leakage, ensuring advanced protection during handling.
- Meeting ANSI/EN standards for abrasion resistance, NLJ8000 offer increased durability and long-lasting performance.
- With outstanding chemical resistance and compliance with EN 407 contact heat level 1, NLJ8000 provide specialized protection against workplace hazards.





DESCRIPTION





Ма	terial:	Nitrile	Siz	e range:	7-12
Tex	ture:	Chemguard	Go	auge:	18
Are	a:	Full	Mo	aterial:	Nylon/Spandex
A	PPLICATI	ONS			
	Automo	itive	4	Chemical	
笠	Metal Pr	ocessing		Oil & Gas	
Food Processing Services			Mechanic	al Equipment	



NLJ8354W

- Chemguard NLJ8354W industrial gloves feature the innovative Chemguard coating, providing superior grip for handling oily or wet materials with reduced effort.
- Equipped with an 18gg seamless knitting liner, NLJ8354W offers enhanced comfort, making them suitable for vairous applications.
- Full dual coating prevents liquid and chemical leakage, ensuring advanced protection during handling.
- Meeting ANSI/EN standards for abrasion resistance, NLJ8354W offer increased durability and long-lasting performance.
- With outstanding chemical resistance and compliance with EN 407 contact heat level 1, NLJ8354W provide specialized protection against workplace hazards.
- 18gg MetalQ® liner is light and provides great cut protection up to level C
- With a soft and durable TPR heat pressed on the back, can effectively protect hands from













D	DESCRIPTION					
Ма	iterial:	Nitrile	Siz	e range:	7-12	
Tex	ture:	Chemguard	G	auge:	18	
Are	ea:	Full	Mo	aterial:	MetalQ®	
A	APPLICATI	ONS				
	Automo	tive	\triangle	Chemical		
営	Metal Processing			Oil & Gas		
49	Food Processing Services			Mechanical Equipment		





PES3447

- Excellent soft and comfortable hand feeling.
- Made from Recycled polyester, which is from plastic bottles.
- Good grip in both dry and light oil condition.
- Ergonomic hand-shaped design.









DESCRIPTIO	DN .
Material:	PU
Texture:	Smooth
Area:	Palm
Size range:	7-12
Gauge:	13
Material:	RPET/spandex
APPLICATIO	ONS

Automotive

Facility maintenance

Machinery & Equipment

Transportation & Warehousing

Assembly

NJE3447

- Excellent soft and comfortable hand feeling
- Made from Recycled polyester, which is from plastic bottles.
- Good grip in both dry and oil condition
- Ergonomic hand-shaped design.













DESCRIPTION	DESCRIPTION		
Material:	Nitrile		
Texture:	Micro Touch®		
Area:	Palm		
Size range:	7-12		
Gauge:	13		
Material:	RPET/spandex		
ADDUCATIO	ONIG.		

APPLICATIONS

Automotive

Facility Maintenance

Transportation & warehousing

Machinery & Equipment

Assembly



LJF5445

- Excellent soft and comfortable hand feeling.
- The liner is made of recycled polyester and Biobased Bamboo fiber Good grip in dry conditions
- Ergonomic hand-shaped design.









DESCRIPTION		
Material:	Latex	
Texture:	Foam	
Area:	Palm	
Size range:	7-12	
Gauge:	15	
Material:	RPET/Bamboo	

APPLICATIONS

Y Gardening General Maintenance

Painting * Housekeeping

₩ DIY



CJE5822

- Excellent soft and comfortable hand feeling.
- Made from biodegradable polyester.
- Good grip in both dry and light oil condition.
- Ergonomic hand-shaped design.







DESCRIPTION			
Material:	Biodegradable nitrile		
Texture:	Foam		
Area:	Palm		
Size range:	7-12		
Gauge:	15		
Material:	Biodegradable polyester/biodegradable spandex		
APPLICATIO	DNS .		
	44 =		

Automotive

Facility maintenance

Machinery & Equipment

Transportation & Warehousing

Assembly



NKD5280D

- Water and oil resistant
- The Liner is 100% made of Recycled polyester.
- Good grip in both dry and oil condition
- Ergonomic hand-shaped design.

Nitrle

Full

7-12

15

Machinery & Equipment



Material:

Texture:

Gauge:

Material:

APPLICATIONS Automotive

Assembly

Size range:

Area:

DESCRIPTION





Micro Touch®

Recycled polyester







Facility maintenance

Transportation & Warehousing



CJC8822

- Excellent soft and comfortable hand feeling.
- Made from biodegradable polyester.
- Good grip in both dry and light oil condition.
- Ergonomic hand-shaped design.







DESCRIPTION		
Material:	Biodegradable nitrile	
Texture:	Sandy	
Area:	Palm	
Size range:	7-12	
Gauge:	18	
Material:	Biodegradable polyester/biodegradable spandex	
ADDLICATIO	MIC	

Automotive

Facility maintenance

Machinery & Equipment

Transportation & Warehousing

Assembly



PES3451

- The liner is made of Biobased HPPE with recycled polyester.
- Softer and more comfortable fitting.
- Ergonomic hand-shaped design.
- Good cut protection up to level C.









Sland

DESCRIPTIO	ON	
Material:	PU	
Texture:	Smooth	
Area:	Palm	
Size range:	7-12	
Gauge:	13	
Material:	RPET, Biobased I	HPPE, Spandex, glass-fiber
APPLICATIO	ONS	
Automot	ive	Facility maintenance
Machine	ry & Equipment	rransportation & Warehousing



NJC8269DQ

- 18gg MetalQ® liner is light and provides great cut protection up to level D
- Excellent grip performance, especially in oily environments.
- Softer and more comfortable fitting.
- Improved durability.
- Ergonomic hand-shaped design.













DESCRIPTIO	NC
Material:	Nitrile
Texture:	Sandy
Area:	Palm
Size range:	7-12
Gauge:	18
Material:	RPET, MetalQ®, Spandex
Material:	<u>.</u>

APPLICATIONS

Automotive

Assembly

Facility maintenance

Machinery & Equipment

Glass handling operations

Transportation & Warehousing



NJJ5282D

Assembly

- Excellent grip performance, especially in oily environments.
- Softer and more comfortable fitting.
- Improved durability.
- Ergonomic hand-shaped design.











Glass handling operations

DESCRIPTIO	NC
Material:	Nitrile
exture:	Hanfeel®
Area:	Palm
Size range:	7-12
Gauge:	15
Material:	RPET,spandex
APPLICATIO	DNS

- Automotive
- Machinery & Equipment
- Assembly

Facility maintenance Transportation & Warehousing





NJJ4377DQ

- 21gg MetalQ® liner is ultimate light and provides great cut protection up to level E
- Excellent grip performance, especially in oily environments.
- Softer and more comfortable fitting.
- Improved durability.
- Ergonomic hand-shaped design.











DESCRIPTIO	DN
Material:	Nitrile
Texture:	Hanfeel®
Area:	Palm
Size range:	7-12
Gauge:	21
Material:	Polyester/MetalQ®/Tungsten/spandex

APPLICATIONS

Automotive

Facility maintenance

Machinery & Equipment Assembly

Transportation & Warehousing

Glass handling operations



PES4377DQ

- 21gg MetalQ® liner is ultimate light and provides great cut protection
- PU coating provides good grip in dry light oily condition.
- Softer and more comfortable fitting.
- Improved durability.
- Ergonomic hand-shaped design.











DESCRIPTION		
Material:	PU	
Texture:	Smooth	
Area:	Palm	
Size range:	7-12	
Gauge:	21	
Material:	Polyester/MetalQ®/Tungsten/spandex	
APPLICATION	ONS	

Automotive

Facility maintenance

Machinery & Equipment

Glass handling operations

Transportation & Warehousing

Assembly



NJE8410DQ

- 18gg MetalQ® liner is ultimate light and provides super great cut protection up to level F, ANSI cut A6.
- Excellent grip performance, especially in oily environments.
- Softer and more comfortable fitting.
- Improved durability.

DESCRIPTION Material:

- Ergonomic hand-shaped design.

Nitrile









Eco packagin	ę

Texture:	Hanfeel®		
Area:	Palm		
Size range:	7-12		
Gauge:	18		
Material:	Polyester/MetalQ®	/Steel	/spandex
APPLICATIO	NS		
Automoti	ve	1%	Facility maintenance
Machiner Machiner	y & Equipment		Transportation & Warehousing
Assembly		7	Glass handling operations



NJE4273DQ

- 21gg MetalQ® liner is ultimate light and provides super great cut protection up to level F, ANSI cut A6.
- Excellent grip performance, especially in oily environments.
- Softer and more comfortable fitting.
- Improved durability.
- Ergonomic hand-shaped design.











Transportation & Warehousing

Glass handling operations

DESCRIPTIO	DN
Material:	Nitrile
Texture:	Hanfeel®
Area:	Palm
Size range:	7-12
Gauge:	21
Material:	Polyester/MetalQ®/Tungsten/spandex
APPLICATIO	ons
Automot ■ Automot	ive



NJC8410DQ

- 18gg MetalQ® liner is ultimate light and provides super great cut protection up to level F, ANSI cut A6.
- PU coating provides good grip in dry light oily condition.
- Softer and more comfortable fitting.
- Improved durability.

DESCRIPTION Material:

- Ergonomic hand-shaped design.















Ma	terial:	Nitrile		
Text	ture:	Supergrip®		
Are	a:	Palm		
Size	range:	7-12		
Ga	uge:	18		
Ma	terial:	Polyester/MetalQ®/S	teel/	spandex
Α	PPLICATION	NS		
and and	Automotiv	re	*	Facility maintenance
	Machinery	/ & Equipment		Transportation & Warehousing
	Assembly		4	Glass handling operations



PES4273DQ

Machinery & Equipment

Assembly

- 21gg MetalQ® liner is ultimate light and provides super great cut protection up to level F, ANSI cut A6.
- PU coating provides good grip in dry light oily condition.
- Softer and more comfortable fitting.
- Improved durability.
- Ergonomic hand-shaped design.













DESCRIPTIO	V
Material:	PU
Texture:	Smooth
Area:	Palm
Size range:	7-12
Gauge:	21
Material:	Polyester/MetalQ®/Tungsten/spandex
APPLICATIO	NS

Automotive	1%	Facility maintenance
Machinery & Equipment		Transportation & Warehousing
Assembly	1	Glass handling operations



NJE8450DQ

- 18gg MetalQ® liner is ultimate light and provides super great cut protection up to level F, ANSI cut A8.
- PU coating provides good grip in dry light oily condition.

(8A)

- Softer and more comfortable fitting.
- Improved durability.
- Ergonomic hand-shaped design.











Glass handling operations

DESCRIPTION			
Material:	Nitrile		
Texture:	Foam		
Area:	Palm		
Size range:	7-12		
Gauge:	18		
Material:	Polyester/MetalQ	®/Tungsten/spandex	
APPLICATIONS			
Automot	ive	Facility maintenance	
Machinery & Equipment		Transportation & Warehousing	



HZZ8256

- 18gg MetalQ® knitting is ultimate light and provides super great cut
- protection up to level D, ANSI cut A4.
- Softer and more comfortable fitting.
- Improved durability.
- Ergonomic Arm-shaped design.









DESCRIPTION	N
Length:	45cm
Gauge:	18gg
Colour:	Black
Material:	MetalQ®
Thumbslot:	Yes

APPLICATIONS

- Automotive
- Machinery & Equipment
- Assembly

- Facility maintenance
- Transportation & Warehousing
- Glass handling operations



PES8450DQ

- 18gg MetalQ ${\mathbb R}$ liner is ultimate light and provides super great cut protection up to level F, ANSI cut A8.
- PU coating provides good grip in dry light oily condition.
- Softer and more comfortable fitting.
- Improved durability.

DESCRIPTION Material:

Assembly

- Ergonomic hand-shaped design.







PU





Textu	ıre:	Smooth		
Area	:	Palm		
Size	range:	7-12		
Gau	ge:	18		
Mate	erial:	Polyester/MetalQ®/T	ungs	ten/spandex
AP	PLICATION	NS		
	Automotiv	re	*	Facility maintenance
	/lachinery	/ & Equipment		Transportation & Warehousing
	Assembly		7	Glass handling operations



HZZ8410

- 18gg MetalQ® liner is ultimate light and provides super great cut
- protection up to level D, ANSI cut A6.
- Softer and more comfortable fitting.
- Improved durability.
- Ergonomic hand-shaped design.





DESCRIPTION







Length:	45cm
Gauge:	18gg
Colour:	Navy Blue
Material:	MetalQ®/Steel
Thumbslot:	Yes

APPLICATIONS

- Automotive
- Machinery & Equipment
- Assembly

Transportation & Warehousing

Facility maintenance

Glass handling operations



HZZ8450

- 18gg MetalQ® Knitting is ultimate light and provides super great cut protection up to level F, ANSI cut A8.
- Softer and more comfortable fitting.
- Improved durability.
- Ergonomic Arm-shaped design.









DESCRIPTION			
Length:	45cm		
Gauge:	18gg		
Colour:	Hi Viz Yellow		
Material:	MetalQ®/Tungsten		
Thumbslot:	Yes		

APPLICATIONS

Automotive

Machinery & Equipment

Assembly

Facility maintenance

Transportation & Warehousing

Glass handling operations



HZZ3096

- 13gg MetalQ® liner is ultimate light and provides super great cut protection up to level D, ANSI cut A9.
- Softer and more comfortable fitting.
- Improved durability.
- Ergonomic hand-shaped design.











DESCRIPTION		
Length:	45cm	
Gauge:	13gg	_
Colour:	Royal Blue	
Material:	MetalQ®/Tungsten	
Thumbslot:	Yes	

APPLICATIONS

Automotive

Machinery & Equipment

Assembly

Facility maintenance

Transportation & Warehousing

Glass handling operations



1010

Synthetic leather series

EXCELLENT ANTI-SLIP: Synthetic leather palm with full silicone printing offers excellent grip and long-lasting durability.

LIGHTWEIGHT & DEXTEROUS: Stretch spandex back and bird's eye fabric for dexterity & breathability.

ABRASION RESISTANT: Synthetic leather palm for abrasion reaching EN388 level 2 under 1600 circles.





MATERIAL	
Synthetic leather	Stretch spandex
bird's eye fabric	

APPLICATIONS

Automotive

Machinery & Equipment

Assembly

DIY projects

Facility maintenance

Transportation & Warehousing

Logistics & Construction



1012

Synthetic leather series

IMPACT PROTECTION: 6MM Thermoplastic Rubber (TPR) for Impact Protection.

ABRASION RESISTANT: Synthetic leather palm(1600 circles level 2) with durable PVC reinforcement (5000 circles level 3) for abrasion resistant.

REINFORCED VIBRATION ABSORBING: 3MM neoprene padding with PVC reinforcement for vibration resistance.





MATERIAL	
Synthetic leather	Stretch spandex
hermoplastic rubber	

APPLICATIONS

	Automotive	
--	------------	--

Machinery & Equipment

Assembly

Facility maintenance

Transportation & Warehousing

Logistics & Construction



1011

Synthetic leather series

BREATHABLE & DEXTEROUS: Stretch spandex back for breathability, elastic & embossed neoprene for dexterity making your hands easy to bend.

ABRASION RESISTANT: Synthetic leather palm for abrasion reaching EN388 level 2 under 1600 circles.

REINFORCED VIBRATION ABSORBING: 5MM memory foam with PVC reinforcement for vibration release.





MATERIAL	
ynthetic leather	Stretch spandex
eoprene	

APPLICATIONS

Automotive

Machinery & Equipment

Assembly

DIY projects

Facility maintenance Transportation & Warehousing

Logistics & Construction



1013

Oil & Gas Resistant and Water Repellent Series

LIGHTWEIGHT & DEXTEROUS: Stretch spandex back and bird's eye fabric for dexterity & breathability.

Oil & GAS RESISTANT: Protecting your hands from Oil and gas. WATER REPELLENCY: Water repellency synthetic leather keep your hands dry from water.

ABRASION RESISTANC: Oil & gas resistant and water repellency synthetic leather for abrasion reaching EN388 level 2 under 1200 circles.





MATERIAL

Functional synthetic leather

Bird-eye fabric

APPLICATIONS

Automotive

Machinery & Equipment

Assembly

DIY projects

Facility maintenance

Transportation & Warehousing

Logistics & Construction

Oil & Gas



1 0 1 4 Oil & Gas Resistant and Water Repellent Series

Oil & GAS RESISTANT: Protecting your hands from Oil and gas. WATER REPELLENCY: Water repellency synthetic leather keep your hands dry from water.

ABRASION RESISTANCE: Oil & gas resistant and water repellency synthetic leather with PU reinforcement for abrasion reaching EN388 level 2 under 1200 circles. REINFORCED VIBRATION ABSORBING: 5MM memory foam with PU reinforcement for vibration release





MATERIAL	
Synthetic leather	Stretch spandex
Neoprene	

APPLICATIONS

DIY projects

ALLECATION				
		Automotive	*	Facility maintenance
		Machinery & Equipment		Transportation & Warehousin
		Assembly	A.	Logistics & Construction

Oil & Gas



5001

Hi -vis & visible series

ABRASION RESISTANT: Synthetic leather palm(1600 circles level 2) with durable PVC reinforcement (5000 circles level 3) for abrasion resistant.

HI-vis COLOR: Hi-vis color back of hand increased safety in a range of professions and circumstances.

REFLECTIVE FUNCTION: Reflective fingertips & logo on back for safety warning in dark environment.





MATERIAL

Synthetic leather Stretch spandex

APPLICATIONS

Automotive	4%	Facility maintenance

Machinery & Equipment Transportation & Warehousing

Assembly

Logistics & Construction





1008 **Oil & Gas Resistant and Water Repellent Series**

IMPACT PROTECTION: 6MM Thermoplastic Rubber (TPR) for Impact Protection.

ABRASION RESISTANT: Synthetic leather palm(1200 circles level 2) with durable PVC reinforcement (5000 circles level 3) for abrasion resistant.

REINFORCED VIBRATION ABSORBING: 3MM neoprene padding with PVC reinforcement for vibration resistance.





MATERIAL

Synthetic leather Stretch spandex Thermoplastic rubber

APPLICATIONS

Automotive Facility maintenance Machinery & Equipment Transportation & Warehousing

Assembly

Logistics & Construction



0804

Hi -vis & visible series

IMPACT PROTECTION: 5MM Thermoplastic Rubber (TPR) for absorbing impact with extra efficiency.

REFLECTIVE WARNING: Hi-vis color TPR with reflective function for safety warning in drak environment

ABRASION RESISTANT: Synthetic leather palm(1600 circles level 2) with double layer synthetic leather reinforcement for durability.





MATERIAL

Stretch spandex Synthetic leather Reflective thermoplastic rubber

APPLICATIONS

Automotive

Machinery & Equipment

Assembly

Logistics & Construction

Transportation & Warehousing

Facility maintenance

Mining



0803

Hi -vis & visible series

ABRASION RESISTANT: Synthetic leather palm(1600 circles level 2) with durable PVC reinforcement(5000 circles level 3) for abrasion resistant.

HI-vis COLOR: Hi-vis color back of hand increased safety in a range of professions and circumstances.

REFLECTIVE FUNCTION: Reflective fingertips & logo on back for safety warning in dark environment.





MATERIAL		
Goat leather	MetalQ® liner	
Glow in dark thermoplastic rubber		

APPLICATIONS

Automotive

Machinery & Equipment

Assembly

Mining

Facility maintenance

Transportation & Warehousing

Logistics & Construction



0811

All in one 3D knit construction Series

FLEXIBILITY & SOFTNESS: Lightweight suede fabric palm for dexterity. BREATHABILITY: Super stretchy yarns with 3D knit construction technology fits your hands well and lightweight and fit design makes any job easier and safer.

REINFORCED FINGERTIPS: Dual-layer reinforcment at the fingertips for extra protection.

EXCELLENT ANTI-SLIP: Full silicone printing offers excellent grip and long-lasting durability.



MATERIAL

3D knit stretchy yarns

Lightweight suede fabric

APPLICATIONS

Automotive

Machinery & Equipment

Assembly

M DIY projects

% Facility maintenance

Transportation & Warehousing

Logistics & Construction



0614 All in one 3D knit construction Series

FLEXIBILITY & SOFTNESS: Lightweight suede fabric palm for dexterity.

BREATHABILITY: Super stretchy yarns with 3D knit construction technology fits your hands well and lightweight and fit design makes any job easier and safer.

EXCELLENT ANTI-SLIP: Full silicone printing offers excellent grip and long-lasting durability.





MATERIAL

3D knit stretchy yarns

Lightweight suede fabric

APPLICATIONS

Automotive

Machinery & Equipment

Assembly

DIY projects

Facility maintenance

Transportation & Warehousing

Logistics & Construction



0709



CUT RESISTANT: Lightweight MetalQ® yarns reaches CE level E & ANSI A5 cut-resistance protection.

ABRASION RESISTANT: Goat leather palm(1200 circles level 2) for durability.

FLEXIBILITY & SOFTNESS: Super stretchy yarns and goat leather provides best breathability and dexterity.





MATERIAL

Goat leather

MetalQ® fabric

APPLICATIONS

Automotive

Machinery & Equipment

Assembly

Glass handling operations

Facility maintenance

Transportation & Warehousing

Steelworks



0809 Genuine Grain Cowhide Series

IMPACT PROTECTION: 5MM Thermoplastic Rubber (TPR) for absorbing impact with extra efficiency.

 360° CUT RESISTANT: Lightweight MetalQ $\!(\!\!8\!\!\!)$ liner reaches CE level E & ANSI A5 cut resistance protection.

ABRASION RESISTANT: Cow leather palm(1200 circles level 2) with double layer synthetic leather reinforcement for durability.

EXCELLENT ANTI-SLIP: Synthetic leather palm reinforcement with full silicone printing offers excellent grip.





MATERIAL

Cow leather

MetalQ® liner

APPLICATIONS

Automotive

Machinery & Equipment

Assembly

Steelworks

Facility maintenance

Transportation & Warehousing

Glass handling operations

Logistics & Construction



0818

Extreme Fit PU Series

EXTREME FIT: Lightweight PU offers superior comfort and flexibility.

ANTI-SLIP: PU material provides excellent anti-slip function.

HOOK & LOOP CLOSURE: Elastic band cuff with hook & loop closure ensures the perfect fit for safety and comfort throughout the day.





MATERIAL

Pι

Stretch fabric

APPLICATIONS

Automotive

Facility maintenance

Machinery & Equipment

DIY projects

ent 🖺 Assembly